

BeHomei



Pet Smart Water Fountains

2026 Product Catalog

Series guide / Product specifications / OEM & ODM



Your guide to the range

Shenzhen BeHomei Technology Co., Ltd. supports pet brands, retailers and distributors through product sourcing, development and coordinated supply. This catalog brings together 18 fountain models in four series.

Fresh Water & Wastewater Separation

05-07

Separate tanks, automatic refilling and timed drainage.

S1 / S3 / S4

Water & Power Separation

08-13

Separated water and electrical components, with concealed pump designs.

A01SP / A02 / A04SP / A05SP / W09S / W10S

Wireless Sensor

14-20

Rechargeable fountains in ABS and stainless steel configurations.

W01 / W01SP / W01S / W02 / W02SP / W02S / W04SP

Plug-in

21-22

Simple external-power fountains for everyday use.

W03 / W06

Model comparison 03-04

Customization 23

Packing & contact 24-26

Fresh-water and separation models

Compare reservoir sizes first, then the water-management or filtration features.

Fresh Water & Wastewater Separation

Model	Fresh / used water	Sensing	Key distinction	Page
S1	3.0 / 2.7 L	Radar	Gravity refill	05
S3	3.0 / 1.7 L	Infrared	Probe-controlled refill	06
S4	5.0 / 2.3 L	Infrared	Five drainage settings	07

Water & Power Separation

Model	Capacity	Filtration	Battery / power detail	Page
A01SP	3.2 L	5-stage	4,000 mAh	08
A02	2.6 L	4-stage	4,000 mAh	09
A04SP	2.8 L	5-stage	4,000 mAh	10
A05SP	4.0 L	5-stage	Confirm configuration	11
W09S	5.0 L	5-stage + UV	Confirm configuration	12
W10S	7.0 L	5-stage + UV	4,000 mAh	13

UV = UVC + UVA module. Confirm test data and final electrical configuration for your target market.

Wireless sensor and plug-in models

Choose a reservoir size and material combination to suit your product range.

Wireless Sensor

Model	Capacity	Materials	Battery	Page
W01	3.2 L	ABS	4,000 mAh	14
W01SP	3.2 L	304 stainless steel + ABS	4,000 mAh	15
W01S	3.2 L	304 stainless steel	4,000 mAh	16
W02	2.6 L	ABS	4,000 mAh	17
W02SP	2.6 L	304 stainless steel + ABS	4,000 mAh	18
W02S	2.6 L	304 stainless steel	4,000 mAh	19
W04SP	2.8 L	304 stainless steel + ABS	4,000 mAh	20

All seven models list sensor, interval and continuous modes, with four-stage filtration.

Plug-in

Model	Capacity	Material	Power	Page
W03	2.4 L	ABS	Plug-in	21
W06	2.0 L	ABS	Plug-in	22

S1

Radar sensing with separate water tanks



IN THE BOX

Main unit, fresh-water tank, wastewater tank, mesh screen, nozzle, cleaning brush, user manual and USB-C cable. Power adapter not included.

[View product online](#)

[Request a sample](#)

A dual-tank fountain with gravity refill and flexible drainage settings.

Radar sensing activates water circulation.

Gravity refill replenishes the drinking area.

Scheduled drainage with one-touch manual draining.

Wastewater reminder and a carry-handle fresh tank.

Fresh / wastewater	3.0 L / 2.7 L
Battery	3.7 V / 4,000 mAh
Sensing	Radar
Water management	Gravity refill / timed drainage
Size (cm)	18.0 x 28.0 x 33.3
Size (in, approx.)	7.09 x 11.02 x 13.11
Net weight	1780 g / 3.92 lb

No replacement filter cartridge required. Clean the screen and tanks regularly.

S3

Infrared sensing with automatic refill



IN THE BOX

Main unit, fresh-water tank, wastewater tank, mesh screen, nozzle, cleaning brush, user manual and USB-C cable. Power adapter not included.

[View product online](#)

[Request a sample](#)

Separate fresh and used water, with a sensor-controlled refill system.

Infrared sensing activates water circulation.

Probe sensing controls automatic refilling.

Scheduled drainage refreshes the drinking area.

Wastewater reminder and a carry-handle fresh tank.

Fresh / wastewater	3.0 L / 1.7 L
Battery	3.7 V / 4,000 mAh
Sensing	Infrared
Water management	Probe refill / timed drainage
Size (cm)	19.6 x 36.7 x 29.0
Size (in, approx.)	7.72 x 14.45 x 11.42
Net weight	1850 g / 4.08 lb

No replacement filter cartridge required. Clean the screen and tanks regularly.

S4

5 L fresh-water tank with timed drainage



IN THE BOX

Main unit, fresh-water tank, wastewater tank, mesh screen, nozzle, cleaning brush, user manual and USB-C cable. Power adapter not included.

[View product online](#)

[Request a sample](#)

The largest fresh-water reservoir in the separation range, with adjustable drainage.

Infrared sensing activates water circulation.

Five drainage timer settings with adjustable timing.

Automatic refill and one-touch manual draining.

Separate wastewater tank and carry-handle fresh tank.

Fresh / wastewater	5.0 L / 2.3 L
Battery	3.7 V / 4,000 mAh
Sensing	Infrared
Water management	Auto refill / 5 timer settings
Size (cm)	18.8 x 35.3 x 25.7
Size (in, approx.)	7.40 x 13.90 x 10.12
Net weight	1550 g / 3.42 lb

No replacement filter cartridge required. Clean the screen and tanks regularly.

A01SP

3.2 L fountain with a concealed pump



IN THE BOX

Main unit, control module, filter cartridge, cleaning brush, user manual and USB-C cable. Power adapter not included.

[View product online](#)

[Request a sample](#)

304 stainless steel and ABS construction with a separate water and power design.

Concealed brushless pump for water circulation.

Five-stage filtration with a replaceable cartridge.

Water-level window makes refill checks easier.

Dry-run protection helps protect the pump.

Capacity	3.2 L
Materials	304 stainless steel + ABS
Battery	4,000 mAh
Modes	Sensor / interval*
Size (cm)	21.5 x 21.5 x 16
Size (in, approx.)	8.46 x 8.46 x 6.30
Net weight	770 g / 1.70 lb

*Confirm the final mode set with your sample. Published configurations differ.

A02

Compact 2.6 L ABS fountain



IN THE BOX

Main unit, control module, filter cartridge, cleaning brush, user manual and USB-C cable. Power adapter not included.

[View product online](#)

[Request a sample](#)

A translucent reservoir and removable components make daily checks and cleaning straightforward.

Separate water and power design.

Concealed brushless pump with dry-run protection.

Four-stage filtration with a replaceable cartridge.

Sensor and interval modes for flexible operation.

Capacity	2.6 L
Material	ABS
Battery	4,000 mAh
Modes	Sensor / interval
Size (cm)	20.5 x 20.5 x 16
Size (in, approx.)	8.07 x 8.07 x 6.30
Net weight	690 g / 1.52 lb

A04SP

2.8 L fountain with stainless steel



IN THE BOX

Main unit, control module, filter cartridge, cleaning brush, user manual and USB-C cable. Power adapter not included.

[View product online](#)

[Request a sample](#)

A compact water and power separation model with 304 stainless steel and ABS construction.

Concealed brushless pump with dry-run protection.

Five-stage filtration with a replaceable cartridge.

Removable components simplify routine cleaning.

Water-level window for quick refill checks.

Capacity	2.8 L
Materials	304 stainless steel + ABS
Battery	4,000 mAh
Modes	Sensor / interval
Size (cm)	21 x 21.5 x 16
Size (in, approx.)	8.27 x 8.46 x 6.30
Net weight	790 g / 1.74 lb

A05SP

4 L fountain with filter reminder



IN THE BOX

Main unit, control module, filter cartridge, cleaning brush, user manual and USB-C cable. Power adapter not included.

[View product online](#)

[Request a sample](#)

A larger reservoir with three operating modes and a reminder for filter replacement.

Separate water and power design.

Concealed brushless pump with dry-run protection.

Five-stage filtration and filter-change reminder.

Easy assembly with a visible water-level window.

Capacity	4.0 L
Materials	304 stainless steel + ABS
Power connection	USB-C; configuration on request
Modes	Sensor / interval / continuous
Size (cm)	28 x 18 x 18.4
Size (in, approx.)	11.02 x 7.09 x 7.24
Net weight	940 g / 2.07 lb

Contact BeHomei to confirm the available power and battery configuration.

W09S

5 L fountain with UV module



IN THE BOX

Main unit, control module, filter cartridge, cleaning brush, user manual and USB-C cable. Power adapter not included.

[View product online](#)

[Request a sample](#)

A high-capacity model combining filtration, a UV module and a separate water and power design.

- UVC + UVA module and five-stage filtration.
- Filter-change reminder supports routine maintenance.
- Dry-run protection helps protect the pump.
- Removable components and water-level window.

Capacity	5.0 L
UV module	UVC + UVA
Power connection	USB-C; configuration on request
Modes	Sensor / interval / continuous
Size (cm)	29.5 x 21.6 x 18.0
Size (in, approx.)	11.61 x 8.50 x 7.09
Net weight	1293 g / 2.85 lb

UV performance and power configuration require model-specific confirmation.

W10S

7 L fountain with rechargeable battery



IN THE BOX

Main unit, control module, filter cartridge, cleaning brush, user manual and USB-C cable. Power adapter not included.

[View product online](#)

[Request a sample](#)

The largest reservoir in this catalog, with a 4,000 mAh battery and integrated UV module.

Separate water and power design.

UVC + UVA module and five-stage filtration.

Filter-change reminder and water-level window.

Dry-run protection helps protect the pump.

Capacity	7.0 L
Battery	4,000 mAh
UV module	UVC + UVA
Modes	Sensor / interval / continuous
Size (cm)	30.6 x 31.0 x 18.0
Size (in, approx.)	12.05 x 12.20 x 7.09
Net weight	1440 g / 3.17 lb

Ask BeHomei about UV performance data for your selected configuration.

W01

3.2 L wireless sensor fountain



IN THE BOX

Main unit, control module, pump, filter cartridge, cleaning brush, two nozzles, user manual and USB-C cable. Power adapter not included.

[View product online](#)

[Request a sample](#)

A rechargeable fountain with ABS construction and three operating modes.

4,000 mAh battery supports cordless placement.

Four-stage filtration with a replaceable cartridge.

Removable components and pump dry-run protection.

Water-level window makes refill checks easier.

Capacity	3.2 L
Materials	ABS
Battery	4,000 mAh
Modes	Sensor / interval / continuous
Size (cm)	21 x 21 x 14.2
Size (in, approx.)	8.27 x 8.27 x 5.59
Net weight	664 g / 1.46 lb

W01SP

3.2 L wireless sensor fountain



IN THE BOX

Main unit, control module, pump, filter cartridge, cleaning brush, two nozzles, user manual and USB-C cable. Power adapter not included.

[View product online](#)

[Request a sample](#)

A rechargeable fountain with 304 stainless steel and ABS construction and three operating modes.

4,000 mAh battery supports cordless placement.

Four-stage filtration with a replaceable cartridge.

Removable components and pump dry-run protection.

304 stainless steel combines with ABS construction.

Capacity	3.2 L
Materials	304 stainless steel + ABS
Battery	4,000 mAh
Modes	Sensor / interval / continuous
Size (cm)	21 x 21 x 14.2
Size (in, approx.)	8.27 x 8.27 x 5.59
Net weight	708 g / 1.56 lb

W01S

3.2 L wireless sensor fountain



IN THE BOX

Main unit, control module, pump, filter cartridge, cleaning brush, two nozzles, user manual and USB-C cable. Power adapter not included.

[View product online](#)

[Request a sample](#)

A rechargeable fountain with 304 stainless steel construction and three operating modes.

4,000 mAh battery supports cordless placement.

Four-stage filtration with a replaceable cartridge.

Removable components and pump dry-run protection.

304 stainless steel construction.

Capacity	3.2 L
Materials	304 stainless steel
Battery	4,000 mAh
Modes	Sensor / interval / continuous
Size (cm)	21.5 x 21.5 x 13.7
Size (in, approx.)	8.46 x 8.46 x 5.39
Net weight	700 g / 1.54 lb

W02

2.6 L wireless sensor fountain



IN THE BOX

Main unit, control module, pump, filter cartridge, cleaning brush, two nozzles, user manual and USB-C cable. Power adapter not included.

[View product online](#)

[Request a sample](#)

A rechargeable fountain with ABS construction and three operating modes.

4,000 mAh battery supports cordless placement.

Four-stage filtration with a replaceable cartridge.

Removable components and pump dry-run protection.

Translucent reservoir makes water levels visible.

Capacity	2.6 L
Materials	ABS
Battery	4,000 mAh
Modes	Sensor / interval / continuous
Size (cm)	20.6 x 20.6 x 14.4
Size (in, approx.)	8.11 x 8.11 x 5.67
Net weight	604 g / 1.33 lb

W02SP

2.6 L wireless sensor fountain



IN THE BOX

Main unit, control module, pump, filter cartridge, cleaning brush, two nozzles, user manual and USB-C cable. Power adapter not included.

[View product online](#)

[Request a sample](#)

A rechargeable fountain with 304 stainless steel and ABS construction and three operating modes.

4,000 mAh battery supports cordless placement.

Four-stage filtration with a replaceable cartridge.

Removable components and pump dry-run protection.

Water-level window makes refill checks easier.

Capacity	2.6 L
Materials	304 stainless steel + ABS
Battery	4,000 mAh
Modes	Sensor / interval / continuous
Size (cm)	20.6 x 20.6 x 14.4
Size (in, approx.)	8.11 x 8.11 x 5.67
Net weight	712 g / 1.57 lb

W02S

2.6 L wireless sensor fountain



IN THE BOX

Main unit, control module, pump, filter cartridge, cleaning brush, two nozzles, user manual and USB-C cable. Power adapter not included.

[View product online](#)

[Request a sample](#)

A rechargeable fountain with 304 stainless steel construction and three operating modes.

4,000 mAh battery supports cordless placement.

Four-stage filtration with a replaceable cartridge.

Removable components and pump dry-run protection.

Water-level window makes refill checks easier.

Capacity	2.6 L
Materials	304 stainless steel
Battery	4,000 mAh
Modes	Sensor / interval / continuous
Size (cm)	21.8 x 21.8 x 14.2
Size (in, approx.)	8.58 x 8.58 x 5.59
Net weight	684 g / 1.51 lb

W04SP

2.8 L wireless sensor fountain



IN THE BOX

Main unit, control module, pump, filter cartridge, cleaning brush, user manual and USB-C cable. Power adapter not included.

[View product online](#)

[Request a sample](#)

A rechargeable fountain with 304 stainless steel and ABS construction and three operating modes.

4,000 mAh battery supports cordless placement.

Four-stage filtration with a replaceable cartridge.

Removable components and pump dry-run protection.

Water-level window makes refill checks easier.

Capacity	2.8 L
Materials	304 stainless steel + ABS
Battery	4,000 mAh
Modes	Sensor / interval / continuous
Size (cm)	21 x 21.5 x 14.7
Size (in, approx.)	8.27 x 8.46 x 5.79
Net weight	681 g / 1.50 lb

W03

2.4 L plug-in water fountain



IN THE BOX

Main unit, pump, filter cartridge, cleaning brush, one nozzle, user manual and USB-C cable. Power adapter not included.

[View product online](#)

[Request a sample](#)

A straightforward fountain for everyday use with continuous external power.

- Plug-in operation with a quiet water pump.
- Four-stage filtration with a replaceable cartridge.
- Translucent reservoir for easy water-level checks.
- Detachable components simplify routine cleaning.

Capacity	2.4 L
Material	ABS
Power	External power / plug-in
Filtration	4-stage
Size (cm)	19 x 19 x 10.9
Size (in, approx.)	7.48 x 7.48 x 4.29
Net weight	450 g / 0.99 lb

W06

2.0 L plug-in water fountain



IN THE BOX

Main unit, pump, filter cartridge, cleaning brush, two nozzles and user manual. Confirm cable and adapter requirements with your order.

[View product online](#)

[Request a sample](#)

A straightforward fountain for everyday use with continuous external power.

- Plug-in operation with a quiet water pump.
- Four-stage filtration with a replaceable cartridge.
- Translucent reservoir for easy water-level checks.
- Detachable components simplify routine cleaning.

Capacity	2.0 L
Material	ABS
Power	External power / plug-in
Filtration	4-stage
Size (cm)	19 x 19 x 10.3
Size (in, approx.)	7.48 x 7.48 x 4.06
Net weight	400 g / 0.88 lb

OEM & ODM for your brand

BeHomei coordinates product requirements, manufacturing resources and delivery so you can build a fountain range around your market.

Customization scope

Branding & color

Logo placement and color options for the selected model.

Packaging

Retail packaging, labels and artwork aligned with your brand.

Product development

Specification changes and new concepts through feasibility review.

Market documentation

Review the supporting documents required for the model and destination.

Project stages

01 Requirements

Model, quantity, target market and customization brief.

02 Scope & quotation

Confirm specifications, MOQ, pricing and sample arrangements.

03 Samples & artwork

Review the sample, packaging and agreed configuration.

04 Production & delivery

Coordinate the order, agreed checks and shipment preparation.

Customization, MOQ and lead time depend on the model and project scope. Confirm details in your quotation.

Packing specifications

Dimensions in cm. Gross weights include the stated packaging.

Model	Retail box cm	Box gross g	Master carton cm	Carton gross kg	Units / carton
S1	28.3 x 18.3 x 29.5	2000	56.7 x 58.2 x 31.5	14.05	6
S3	25.4 x 16.1 x 44.1	2280	52.3 x 49.8 x 46.1	15.1	6
S4	19.1 x 20.3 x 28.5	1950	42.1 x 58.8 x 30.5	12.7	6
A01SP	21.8 x 21.8 x 13.7	970	45.1 x 45.1 x 44.1	12.6	12
A02	20.8 x 20.8 x 14.4	878	43.1 x 43.1 x 46.2	12.5	12
A04SP	21.4 x 21.4 x 13.1	990	44.3 x 44.3 x 42.3	12.9	12
A05SP	28.3 x 18.5 x 15.9	1200	58.1 x 38.5 x 33.8	10.8	8
W09S	29.8 x 21.8 x 15.5	1580	62.0 x 45.5 x 33.6	13.62	8
W10S	30.6 x 15.1 x 31.6	1750	62.5 x 32.5 x 33.5	8.5	4

Dimensions follow the order in the technical source. Retail boxes may contain disassembled components. Final packaging, weights and loading quantities are subject to the approved order.

Packing specifications

Dimensions in cm. Gross weights include the stated packaging.

Model	Retail box cm	Box gross g	Master carton cm	Carton gross kg	Units / carton
W01	21.8 x 21.8 x 13	878	45 x 45 x 42	11.8	12
W01SP	21.8 x 21.8 x 13	908	45 x 45 x 42	12.18	12
W01S	21.8 x 21.8 x 13	895	45 x 45 x 42	12.08	12
W02	22.2 x 22.2 x 12.5	837	46 x 46 x 53	14.75	16
W02SP	22.2 x 22.2 x 12.5	929	46 x 46 x 53	16.36	16
W02S	22.2 x 22.2 x 12.5	922	46 x 46 x 53	16.3	16
W04SP	21.4 x 21.4 x 13.2	876	44.3 x 44.3 x 54.3	15.51	16
W03	20.4 x 20.4 x 12.3	650	42.3 x 42.3 x 50.5	11.4	16
W06	19.5 x 19.5 x 11.3	500	60.5 x 41 x 61	16	30

Dimensions follow the order in the technical source. Retail boxes may contain disassembled components. Final packaging, weights and loading quantities are subject to the approved order.

Discuss your product range

Tell us which models interest you and where you plan to sell. We will help clarify the sample, customization and supply requirements.

Your inquiry

Selected model numbers

Target country or region

Estimated order quantity

Logo, color and packaging needs

Preferred launch or delivery timing

Contact BeHomei

info@behomei.com

www.behomei.com

[Request a sample or quotation](#)

Shenzhen BeHomei Technology Co., Ltd.

Specification notes

Catalog information supports initial selection. Confirm the approved sample, electrical requirements, operating modes and applicable compliance documents before ordering. Battery life varies with use and settings. UV-equipped models require supporting test data for any performance claim.